



nominal clamping force: 40 kN
 adjusting pressure: 200 bar
 release pressure at 0,5 mm stroke: 240 bar
 release pressure at 1,0 mm stroke: 280 bar

Material: heat treated steel - nitrocarburized

| | | | | | | | |
|---|--------------------|-------|----------|------|--------------------------|---------------------------|---------------|
| | | | | | Werkstoffbezeichnung | Werkstoffnummer | Maßstab |
| | | | | | - | - | 1,1 |
| | | | | | Rohteil-/Vorteilnummer | Gewicht | |
| | | | | | - | 4,4 kg | |
| | | | | | Spring Clamping Cylinder | | |
| | | | | | ZDF-o 4000 | | |
| | | gepr. | 10.07.20 | AR | | | |
| Passung | Abmaß | gez. | 26.02.16 | Be | | | |
| DIN ISO 13715 | DIN ISO 2768-mK | | Datum | Name | Benennung | | |
|  | 0.5 ... 6 ± 0.1 | | | | Format A3 | | |
| | 6 ... 30 ± 0.2 | | | | Artikelnummer | MB - 073 30235 - e | |
| | 30 ... 120 ± 0.3 | | | | | | |
| | 120 ... 315 ± 0.5 | | | | Ersatz für | - | ersetzt durch |
| | 315 ... 1000 ± 0.8 | | | | | - | - |
| | | | | | D-63839-Kleinwallstadt | | |